# **1 – PRODUCT IDENTIFICATION**

### 2 – HAZARDS IDENTIFICATION





SIGNAL WORD:	DANGER		
HAZARD STATEMENT:	Causes serious eye irritation. Suspected of causing cancer.		
	Suspected of damaging fertility or the unborn child.		
PRECAUTIONARY STATEMENTS:			
PREVENTION:	Wash hands thoroughly after handling. Wear protective gloves. Wear eye protection / face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.		
RESPONSE:	<b>IF IN EYES:</b> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice / attention.		
STORAGE: DISPOSAL:	Store locked up. Dispose of container and contents in accordance with local regulations.		

### **3 - COMPOSITION / INFORMATION ON INGREDIENTS**

#### INGREDIENT

Water Hydrotreated Light Distillates Cocoamide DEA Aluminum Silicate Polydimethylsiloxane Diethanolamine

#### C.A.S. NUMBER

7732-18-5 64742-47-8 68603-42-9 66402-68-4 63148-62-9 111-42-2

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

#### 4 – FIRST-AID MEASURES

### **5 – FIRE-FIGHTING MEASURES**

#### 6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: ...... Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities. WASTE DISPOSAL: ...... As recommended by local, state and federal authorities.

### 7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing.
HANDLING:	. Do not place this product in an unmarked container! Keep away
	from children! Spilled material is slippery. ATTENTION: Empty
	PAGE 2 of 5

containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

### **8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

RESPIRATORY PROTECTION: ......Not usually needed. Vapors not normally harmful. PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles. ADDITIONAL MEASURES:..... Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

C.A.S. NUMBER	PEL
7732-18-5	No limits established
64742-47-8	500 ppm PEL
68603-42-9	No limits established
66402-68-4	10 mg/m3 total dust
63148-62-9	No limits established
111-42-2	2 mg/m3 TWA8 ACGIH
	7732-18-5 64742-47-8 68603-42-9 66402-68-4 63148-62-9

# 9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Light green cream, pina colada scented.
ODOR THRESHOLD: N/A
<b>pH:</b> 6.5-7.5
MELTING POINT: 210 degrees F.
FREEZING POINT:N/A
BOILING POINT: 210 degrees F.
BOILING POINT RANGE: N/A
FLASHPOINT: Greater than 200 degrees F.
EVAPORATION RATE: N/A
FLAMMABILITY (solid/gas): N/A
EXPLOSION LIMITS: N/A
VAPOR PRESSURE:
VAPOR DENSITY (AIR=1): Greater than 1.
SPECIFIC GRAVITY: Less than 1.
SOLUBILITY IN WATER: Dispersible.
PARTITION COEFFICIENT: N/A
AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: ..... Significant body

# 10 – STABILITY and REACTIVITY

### 11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:..... Inhalation, skin absorption, or ingestion. LISTED CARCINOGEN: ..... Cocamide DEA (CAS# 68603-42-9) Diethanlomaine (CAS# 111-42-2) IARC 2B (Possibly carcinogenic to humans) INHALATION: ...... Not likely to be inhaled in hazardous amounts. Avoid exposure to mists or vapors. Maintain adequate ventilation in the work area. nausea, headache, vomiting and central nervous system depression. SKIN (DERMAL): ...... This product may cause irritation if not removed from the skin. Prolonged exposure may cause central nervous system depression. ACUTE TOXICITY\* (ORAL):.....>2000 mg/kg ACUTE TOXICITY\* (DERMAL):....>2000 mg/kg ACUTE TOXCITY\* (INHALATION): .....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

\*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

# 12 – ECOLOGICAL INFORMATION

# ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

### **13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL: ..... As recommended by local, state and federal authorities.

# 14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: .... Not D.O.T. regulated. HAZARD CLASS: ..... UN/NA NUMBER: ..... PACKAGING GROUP : .....

# **15 - REGULATIONS**

# Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

### **16 – OTHER INFORMATION**