1 – PRODUCT IDENTIFICATION

PRODUCT NAME:	. Citrus Sealant
PRODUCT TYPE:	. Liquid Cationic Drying Agent
PRODUCT NUMBER:	. MK7601XXX (Last three characters vary with the packaging)

DISTRIBUTED BY: WashTec AG 5981 Tennyson Street Arvada, CO 80003 1-800-525-8248

COMPANY:	. Simoniz USA, Inc.
	201 Boston Turnpike
	Bolton, CT 06043
	1-800-227-5536
	www.simoniz.com
EMERGENCY PHONE:	. (800) 255-3924 (CHEM-TEL)

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Acute Toxicity Oral (4) Acute Toxicity Inhalation (4) Skin Irritation (2) Serious Eye Damage (1) Skin Sensitizer (1) Aspiration Toxicity (1)

SYMBOLS:		
SIGNAL WORD:	DANGER!	
HAZARD STATEMENT:	Harmful if swallowed Harmful if inhaled Causes skin irritation.	
	Causes serious eye damage. May be fatal if swallowed and	
	enters airways. May cause an allergic skin reaction.	
PRECAUTIONARY STATEMEN		
PREVENTION:	Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. IF ON SKIN (or hair): Remove/Take off immediately all	
	contaminated clothing. Rinse skin with water/shower. If skin irritation or a rash occurs: Get medical advice/attention. Specific treatment (see First AID Section on the SDS). IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim to	

	fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
	Wash contaminated clothing before reuse.
	Wash containinated clothing before reuse.
STORAGE:	Store locked up.
DISPOSAL:	Dispose of container and contents in accordance with local
	regulations.

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	
Water	
Mixed Petroleum Hydrocarbons	
Dialkyl Quaternary Ammonium Chloride	
2-Butoxy Ethanol	
Propylene Glycol	
Ethoxylated Tallow Amine	
d-Limonene	

C.A.S. NUMBER 7732-18-5 64741-44-2 61789-77-3 111-76-2 57-55-6 68155-39-5 5989-27-5

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals.

4 – FIRST-AID MEASURES

BREATHING (INHALATION):.	If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.
SWALLOWING (INGESTION):	. DO NOT INDUCE VOMITING! Drink a large quantity of water, followed by either milk or a minimum of 2 teaspoons of milk of magnesia. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	Flush eyes with a large quantity of fresh water for at least 15 minutes. Apply ice compresses and GET IMMEDIATE EMERGENCY MEDICAL ATTENTION by an eye specialist. It may be necessary to take victim to a hospital emergency room.
SKIN (DERMAL):	. Immediately flush from skin and clothing with large amounts of fresh water. Get immediate medical attention. Rewash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities. WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles. ADDITIONAL MEASURES: Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Mixed Petroleum Hydrocarbons	64741-44-2	5 mg/m3 PEL
Dialkyl Quaternary Ammonium Chloride	61789-77-3	No limits established
2-Butoxy Ethanol	111-76-2	20 ppm TLV, 25 ppm PEL
Propylene Glycol	57-55-6	No limits established
Ethoxylated Tallow Amine	68155-39-5	No limits established
Water	7732-18-5	No limits established
d-Limonene	5989-27-5	No limits established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR:	Orange transparent liquid, slight solvent odor.
ODOR THRESHOLD:	N/A
рН:	N/A
MELTING POINT:	. 210 degrees F.
FREEZING POINT:	N/A
BOILING POINT:	. 210 degrees F.

BOILING POINT RANGE:......N/A FLASHPOINT:......>200 degrees F EVAPORATION RATE:.....N/A FLAMMABILITY (solid/gas):....N/A EXPLOSION LIMITS:.....N/A VAPOR PRESSURE:N/A VAPOR DENSITY (AIR=1):.....N/A SPECIFIC GRAVITY:Less than 1. SOLUBILITY IN WATER:Completely soluble. PARTITION COEFFICIENT:N/A AUTO-IGNITION TEMPERATURE:N/A DECOMPOSITION TEMPERATURE:N/A VISCOSITY:Slight body

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

DOT CODE PROPER SHIPPING NAME:..... Not D.O.T. regulated HAZARD CLASS:...... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION