
### **1 – PRODUCT IDENTIFICATION**

PRODUCT NAME: ...... Total Wheel PRODUCT TYPE: ...... Alkaline liquid cleaning compound PRODUCT NUMBER: ...... W4148XXX (Last 3 characters vary with the packaging) CONTROL NUMBER: ...... W4148XXX

#### 2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Skin Corrosion (1A) Serious Eye Damage (1) Carcinogen (2) Specific Target Organ Toxicity (Single Exposure) (1)



treatment: See FIRST AID on this label. If exposed or concerned: Get medical attention/advice. STORAGE: ..... Store locked up. DISPOSAL: ..... Dispose of container and contents in accordance with local regulations.

### **3 – COMPOSITION / INFORMATION ON INGREDIENTS**

INGREDIENT Water

C.A.S. NUMBER

Dipropylene Glycol Monomethyl Ether Tetrasodium EDTA Detergent Range Alcohol Ethoxylate Potassium Hydroxide

7732-18-5 34590-94-8 64-02-8 68439-46-3 1310-58-3

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals.

### 4 – FIRST-AID MEASURES

	<ul> <li>If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.</li> <li>DO NOT INDUCE VOMITING! Drink a large quantity of water or</li> </ul>
	milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	. Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, consult a physician.
SKIN (DERMAL):	. Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

#### **5 – FIRE-FIGHTING MEASURES**

FLASHPOINT:..... This product is non-flammable. EXTINGUISHING MEDIA:....... This product is non-flammable. Use extinguishing media suitable for materials already burning. SPECIAL FIRE FIGHTING PROCEDURES: .....Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

### 6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: ...... Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities. WASTE DISPOSAL: ..... As recommended by local, state and federal authorities.

### 7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing.
HANDLING:	Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is
	slippery.

### 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator. PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles. ADDITIONAL MEASURES: ...... Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if

product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established
Dipropylene Glycol Monomethyl Ether	34590-94-8	100ppm TLV, 150 ppm
		STEL
Tetrasodium EDTA	64-02-8	No limits established
Detergent Range Alcohol Ethoxylate	68439-46-3	No limits established
Potassium Hydroxide	1310-58-3	2 mg/m3 ceiling

### 9 - PHYSICAL / CHEMICAL PROPERITES

### 10 – STABILITY and REACTIVITY

### **11 – TOXICOLOGICAL INFORMATION**

\*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

### **12 – ECOLOGICAL INFORMATION**

### ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

### **13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL: ..... As recommended by local, state and federal authorities.

### **14 – TRANSPORTATION INFORMATION**

### **15 - REGULATIONS**

# Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

### **16 – OTHER INFORMATION**